

Code: TT-9/8-FT-PREMU

MULTISWITCH **TT-9/8-FT-PREMU** 9 INPUTS / 8 OUTPUTS PREMUM TELMOR

Net: 136.33 EUR Gross: 136.33 EUR

PREMU TT-9/xx Multiswitches is a brand new generation of cascade and end multiswitches. Works perfectly in large-scale RTV/SAT installations and collective installations, where it is necessary to distribute RTV/SAT signal to multiple subscribers.



SPECIFICATION

Inputs:	• 8x 950 MHz ... 2150 MHz, • 1x 47 MHz ... 862 MHz
Outputs:	8
Switching signals:	• 13 V / 18 V, • 0 Hz / 22 kHz, • DiSEqC 1.0
SAT Tap loss:	-2 ... +7 dB
TV Tap loss:	• Passive : -30 ... -23 dB • Active : -7 ... 0 dB
Return loss:	• TV input : 12 dB • SAT input : 12 dB
Maximal output level SAT:	98 dB μ V
Maximal output level TV:	• 90 dBμV @ 47 ... 170 MHz • 95 dBμV @ 170 ... 862 MHz
Isolation:	• Between inputs TV/SAT : $\geq$ 30 dB • Between inputs SAT/TV : $\geq$ 45 dB • Interpolarized H/V : 35 dB
Pre-amplifiers powering:	12 V DC / 150 mA
Power supply:	13 V DC / 1.5 A (power adapter included)
Dimensions:	215 x 193 x 51 mm
Weight:	0.68 kg
Manufacturer / Brand:	TELMOR
Guarantee:	2 years

PRESENTATION

Top view:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Connectors:





In the kit:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

