

Code: TT-9/24-FT-PREMU

MULTISWITCH **TT-9/24-FT-PREMU** 9 INPUTS / 24 OUTPUTS PREMIUM TELMOR

Net: **239.30 EUR** Gross: **239.30 EUR**

PREMU TT-9/xx Multiswitches is a brand new generation of cascade and end multiswitches. Works perfectly in large-scale RTV/SAT installations and collective installations, where it is necessary to distribute RTV/SAT signal to multiple subscribers.




SPECIFICATION

Inputs:	• 8x 950 MHz ... 2150 MHz, • 1x 47 MHz ... 862 MHz
Outputs:	24
Switching signals:	• 13 V / 18 V, • 0 Hz / 22 kHz, • DiSEqC 1.0
SAT Tap loss:	-3.5 ... +7 dB
TV Tap loss:	• Passive : -36 ... -29 dB • Active : -11 ... -3 dB
Return loss:	• TV input : 10 dB • SAT input : 10 dB
Maximal output level SAT:	98 dB μ V
Maximal output level TV:	• 87 dBμV @ 47 ... 170 MHz • 90 dBμV @ 170 ... 862 MHz
Isolation:	• Between inputs TV/SAT : $\geq$ 30 dB • Between inputs SAT/TV : $\geq$ 45 dB • Interpolarized H/V : 35 dB
Pre-amplifiers powering:	12 V DC / 150 mA
Power supply:	13 V DC / 1.5 A (power adapter included)
Dimensions:	215 x 261 x 51 mm
Weight:	0.94 kg
Manufacturer / Brand:	TELMOR
Guarantee:	2 years

PRESENTATION

Top view:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Connectors:





In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------