

Code: ST-6501

MODULATOR DVB-T **ST-6501**

Net: **110.09 EUR** Gross: **135.41 EUR**

The ST-6501 digital modulator allows to put the HD signal (from camera, terrestrial, satellite TV receiver, Blu-ray, DVD player, etc.) from HDMI input to RF OUT output as DVB-T (COFDM), Full HD 1080p standard in VHF/UHF bands.



SPECIFICATION

Inputs:	1 pcs HDMI, Full HD 1080p , 1 pcs RF (F)
Encoding:	H.264
Supported HDMI resolutions:	720p @ 50 / 60 fps 1080i @ 50 / 60 fps 1080p @ 50 / 60 fps
Output:	1 pcs RF (F)
Output signal level:	90 dB μ V
RF output frequency (channels) range:	174 ... 862 MHz
Modulation type:	64-QAM
HDCP compliance:	✓
Power supply:	5 V DC / 1 A (power adapter included)
Main features:	<ul style="list-style-type: none">• Firmware upgrade via USB cable• Aspect ratios 5:4, 16:9• MER \geq 35 dB
Weight:	0.2 kg
Dimensions:	128 x 80 x 18 mm
Guarantee:	2 years

PRESENTATION

Front panel:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Device connectors:



Bottom view:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

