

Code: TFT-12/CCTV

MONITOR VGA, HDMI, AUDIO, 2XVIDEO, USB, REMOTE CONTROLLER

TFT-12/CCTV 11.6 "

Net: 130.26 EUR Gross: 130.26 EUR

Monitor is equipped with VGA, Composite - Cinch A/V, BNC analog inputs, HDMI digital input and USB socket. Interesting solution is placing the speakers of the back side of housing.

Attention! No batteries inside remote controller.



SPECIFICATION

Screen size:	11.6 "
Native resolution:	1366 x 768 px
Aspect ratios:	16 : 9
Matrix type:	TFT LCD, Matte matrix
Contrast:	500 : 1
Brightness:	300 cd/m ²
Viewable angles:	130 ° horizontal 105 ° vertical
Response time:	≤ 8 ms
Speakers built-in:	2 (Stereo)
Signal connectors:	• 1 x HDMI • 1 x VGA • 1 x Composite Video (CVBS) - BNC • 1 x Composite Video (CVBS) / S-VIDEO - CINCH • 2 x CINCH - Audio (Stereo) • 1 x USB • 1 x 2.1/5.5 mm socket 12 V DC
Refresh frequency:	60 Hz ... 75 Hz
Housing type:	Plastic
DLNA:	—
Monitor mounting standard:	VESA 75
Robbery protection:	—

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Parameters adjustment:	OSD - by IR remote controller or monitor control keys
Power supply:	12 V DC / 2 A (power adapter included)
Power consumption:	• 11.5 W (typical) • 0.5 W (in standby mode)
Main features:	• OSD menu • Speakers built-in • Multimedia playback from USB memory • Remote control - No batteries inside remote controller : 2 pcs AAA
Weight:	0.92 kg
Dimensions:	• 299 x 205 ... 220 x 130 mm (with stand) • 299 x 192 x 40 mm (without stand)
Guarantee:	2 years

PRESENTATION

Rear view:



Bottom view:



Monitor connectors:



OSD menu control keys:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------