

Code: DS-D5022QE-B(EU)

## MONITOR HDMI, VGA **DS-D5022QE-B(EU)** 21.5 " Hikvision

Net: **120.33 EUR** Gross: **148.01 EUR**

Monitor is equipped with one analog VGA input and one digital HDMI input and is compatible with TCO and Energy Star standards. The LED matrix illumination technology allows to real colors reproduction, 40% lower current consumption and much lower failure rate compared to normal LCD monitors with CCFL illumination.



### SPECIFICATION

Screen size:	21.5 "
Native resolution:	1920 x 1080 px
Aspect ratios:	16 : 9
Matrix type:	TFT LCD
Contrast:	1000 : 1
Brightness:	250 cd/m <sup>2</sup>
Viewable angles:	170 ° horizontal 160 ° vertical
Response time:	5 ms (typical)
Speakers built-in:	—
Signal connectors:	<ul style="list-style-type: none"><li>• 1 x HDMI</li><li>• 1 x VGA</li><li>• 1 x Power socket - 230 V AC</li></ul>
Number of displayed colors:	16.7 mln
HDCP:	✓
Housing type:	Plastic
DLNA:	—
Monitor mounting standard:	VESA 100
Robbery protection:	✓

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

Parameters adjustment:	OSD - by monitor control keys
Power supply:	230 V AC
Power consumption:	<ul style="list-style-type: none"> <li>• &lt; 30 W (typical)</li> <li>• &lt; 0.4 W (in standby mode)</li> </ul>
Weight:	3.3 kg
Dimensions:	<ul style="list-style-type: none"> <li>• 510 x 380 x 180 mm (with stand)</li> <li>• 510 x 310 x 45 (without stand)</li> </ul>
Manufacturer / Brand:	Hikvision
SAP Code:	302502271
Guarantee:	<b>3 years</b>

## PRESENTATION



OSD menu control keys:



Side view:



Rear view:



Monitor connectors:



In the kit:

