

Code: IIYAMA-XU2492HSU-B1

MONITOR VGA, HDMI, DP, AUDIO **IIYAMA-XU2492HSU-B1** 24 "

Net: **174.77 EUR** Gross: **174.77 EUR**



SPECIFICATION

Screen size:	24 "
Native resolution:	1920 x 1080 px
Aspect ratios:	16 : 9
Matrix type:	IPS, Matte matrix
Contrast:	1000 : 1 (typical) 5000000 : 1 - ACR
Brightness:	250 cd/m ²
Viewable angles:	178 ° horizontal 178 ° vertical
Response time:	4 ms
Number of displayed colors:	16.7 M
Refresh frequency:	55 Hz ... 75 Hz
Speakers built-in:	2 x 2 W
Signal connectors:	• 1 x VGA, • 1 x DisplayPort, • 1 x HDMI, • 1 x USB 2.0 B + 2 x USB 2.0 A - HUB USB, • 1 x Jack 3.5 mm socket - Audio input, • 1 x Jack 3.5 mm socket - Headphones output • 1 x 230 V AC
Main features:	Built-in USB HUB

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

HDCP:	✓
Housing type:	Plastic
Power management:	TCO, CE, TÜV-GS, VCCI-B, Energy Star, CU
DLNA:	—
Monitor mounting standard:	VESA 100
Robbery protection:	✓
Parameters adjustment:	OSD - using the button on the casing
Power supply:	230 V AC
Power consumption:	• 16 W (typical) • 0.5 W (in standby mode)
Weight:	3.46 kg
Dimensions:	• 539.5 x 394.5 x 196.5 mm (with stand) • 539.5 x 323.5 x 52.5 (without stand)
Manufacturer / Brand:	Iiyama
Guarantee:	2 years

PRESENTATION



OSD menu control keys:



Side view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60




Rear view:



Monitor connectors:



Dimensions:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------