

Code: IYYAMA-X2474HS-B2

MONITOR VGA, HDMI, DP, AUDIO **IYYAMA-X2474HS-B2** 23.6 "

Net: **171.37 EUR** Gross: **210.79 EUR**



SPECIFICATION

Screen size:	23.6 "
Native resolution:	1920 x 1080 px
Aspect ratios:	16 : 9
Matrix type:	VA LED, Matte matrix
Contrast:	3000 : 1 (typical) 80000000 : 1 - ACR
Brightness:	250 cd/m ²
Viewable angles:	178 ° horizontal 178 ° vertical
Response time:	4 ms
Number of displayed colors:	16.7 M
Refresh frequency:	50 Hz ... 75 Hz
Speakers built-in:	2 x 2 W
Signal connectors:	<ul style="list-style-type: none">• 1 x VGA,• 1 x HDMI,• 1 x DisplayPort• 1 x Jack 3.5 mm socket - Audio input• 1 x Jack 3.5 mm socket - Headphones output• 1 x 230 V AC
HDCP:	✓
Housing type:	Plastic

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Power management:	TÜV-Bauart, VCCI-B, Energy Star, CU
Main features:	<ul style="list-style-type: none"> • The blue light reduction function, which is the most unhealthy for the eyes, limits its emission • Flicker-free - The technology eliminates the tiring eyes flickering image effect
Monitor mounting standard:	VESA 100
Robbery protection:	✓
Parameters adjustment:	OSD - using the button on the casing
Power supply:	230 V AC
Power consumption:	<ul style="list-style-type: none"> • 22 W (typical) • 0.4 W (in standby mode)
Weight:	3.7 kg
Dimensions:	<ul style="list-style-type: none"> • 546 x 403 x 199.5 mm (with stand) • 546 x 322 x 42.5 (without stand)
Manufacturer / Brand:	Iiyama
Guarantee:	2 years

PRESENTATION



OSD menu control keys:



Side view:




Rear view:



Monitor connectors:



Dimensions:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------