

Code: IIYAMA-X2483HSU-B3

# MONITOR VGA, HDMI, DP, AUDIO **IIYAMA-X2483HSU-B3** 23.8 "

Net: **164.01 EUR** Gross: **164.01 EUR**



## SPECIFICATION

|                             |                                                                                                                                                                                                                                                                                          |
|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Screen size:                | 23.8 "                                                                                                                                                                                                                                                                                   |
| Native resolution:          | 1920 x 1080 px                                                                                                                                                                                                                                                                           |
| Aspect ratios:              | 16 : 9                                                                                                                                                                                                                                                                                   |
| Matrix type:                | IPS, Matte matrix                                                                                                                                                                                                                                                                        |
| Contrast:                   | 3000 : 1 (typical)<br>80 000 000 : 1 - ACR                                                                                                                                                                                                                                               |
| Brightness:                 | 250 cd/m <sup>2</sup>                                                                                                                                                                                                                                                                    |
| Viewable angles:            | 178 ° horizontal<br>178 ° vertical                                                                                                                                                                                                                                                       |
| Response time:              | 4 ms                                                                                                                                                                                                                                                                                     |
| Number of displayed colors: | 16.7 M                                                                                                                                                                                                                                                                                   |
| Refresh frequency:          | 55 Hz ... 75 Hz                                                                                                                                                                                                                                                                          |
| Speakers built-in:          | 2 x 2 W                                                                                                                                                                                                                                                                                  |
| Signal connectors:          | <ul style="list-style-type: none"><li>• 1 x VGA,</li><li>• 1 x DisplayPort,</li><li>• 1 x HDMI,</li><li>• 1 x USB 2.0 B + 2 x USB 2.0 A - HUB USB,</li><li>• 1 x Jack 3.5 mm socket - Audio input,</li><li>• 1 x Jack 3.5 mm socket - Headphones output</li><li>• 1 x 230 V AC</li></ul> |
| Main features:              | Built-in USB HUB                                                                                                                                                                                                                                                                         |

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

|                            |                                                                                                                                       |
|----------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| HDCP:                      | ✓                                                                                                                                     |
| Housing type:              | Plastic                                                                                                                               |
| Power management:          | TCO, CE, TÜV-GS, VCCI-B, Energy Star, CU                                                                                              |
| DLNA:                      | —                                                                                                                                     |
| Monitor mounting standard: | VESA 100                                                                                                                              |
| Robbery protection:        | ✓                                                                                                                                     |
| Parameters adjustment:     | OSD - using the button on the casing                                                                                                  |
| Power supply:              | 230 V AC                                                                                                                              |
| Power consumption:         | <ul style="list-style-type: none"> <li>• 26 W (typical)</li> <li>• 0.33 W (in standby mode)</li> </ul>                                |
| Weight:                    | 3.9 kg                                                                                                                                |
| Dimensions:                | <ul style="list-style-type: none"> <li>• 552.5 x 406.5 x 203 mm (with stand)</li> <li>• 552.5 x 334 x 56.5 (without stand)</li> </ul> |
| Manufacturer / Brand:      | Iiyama                                                                                                                                |
| Guarantee:                 | 2 years                                                                                                                               |

## PRESENTATION



OSD menu control keys:



Side view:




DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60



Rear view:




Monitor connectors:





Dimensions:



In the kit:



## PACKAGE

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|