

Code: IIYAMA-XU2294HSU-B1

MONITOR VGA, HDMI, DP, AUDIO **IIYAMA-XU2294HSU-B1** 21.5 "

Net: **176.07 EUR** Gross: **176.07 EUR**



SPECIFICATION

Screen size:	21.5 "
Native resolution:	1920 x 1080 px
Aspect ratios:	16 : 9
Matrix type:	VA, LED backlight, Matte matrix
Contrast:	3000 : 1 (typical) 80 000 000 : 1 - ACR
Brightness:	250 cd/m ²
Viewable angles:	178 ° horizontal 178 ° vertical
Response time:	4 ms
Number of displayed colors:	16.7 M
Refresh frequency:	max. 75 Hz
Speakers built-in:	2 x 1 W
Signal connectors:	• 1 x VGA, • 1 x DisplayPort, • 1 x HDMI, • 1 x USB 2.0 B + 2 x USB 2.0 A - HUB USB, • 1 x Jack 3.5 mm socket - Audio input, • 1 x Jack 3.5 mm socket - Headphones output • 1 x 230 V AC
Main features:	Built-in USB HUB
HDCP:	✓

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Housing type:	Plastic
Power management:	Energy efficiency class E (Regulation (EU) 2017/1369)
DLNA:	—
Monitor mounting standard:	VESA 100
Robbery protection:	✓
Parameters adjustment:	OSD - using the button on the casing
Power supply:	230 V AC
Power consumption:	• 16 W (typical) • 0.3 W (in standby mode) • 0.26 W (in off mode)
Weight:	3 kg
Dimensions:	• 488.5 x 376 x 187 mm (with stand) • 488.5 x 394.5 x 52.5 (without stand)
Manufacturer / Brand:	Iiyama
Guarantee:	2 years

PRESENTATION



OSD menu control keys:



Side view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60






Rear view:



Monitor connectors:



Dimensions:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------