

Code: DS-D5024FN

MONITOR HDMI, VGA, AUDIO **DS-D5024FN** 23.8 " Hikvision

Net: **318.72 EUR** Gross: **318.72 EUR**

Designed to continuous operation 24/7.



SPECIFICATION

Screen size:	23.8 "
Native resolution:	1920 x 1080 px
Aspect ratios:	16 : 9
Matrix type:	TFT LCD, LED backlight, Matte matrix
Contrast:	4000 : 1
Brightness:	250 cd/m ²
Viewable angles:	178 ° horizontal 178 ° vertical
Response time:	14 ms (typical)
Speakers built-in:	✓
Signal connectors:	• 1 x HDMI 1.3 • 1 x VGA • 1 x Audio - Jack 3.5 mm socket • 1 x Power supply 230 V AC
Number of displayed colors:	16.7 M
Refresh frequency:	60 Hz
HDCP:	✓
Housing type:	Plastic, Narrow profile
Power management:	Energy efficiency class E (Regulation (EU) 2019/2013)

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

DLNA:	—
Monitor mounting standard:	VESA 100
Robbery protection:	Kensington-lock compatible
Parameters adjustment:	OSD - by monitor control keys
Designed to continuous operation 24/7:	✓
Main features:	• 3 Display modes • User-friendly graphical interface
Main features:	In the kit : HDMI cable, Power cord
Power supply:	100 ... 240 V AC, 50 / 60 Hz
Power consumption:	• ≤ 18 W (operation) • ≤ 0.5 W (in standby mode)
Weight:	• 3.46 kg (with stand) • 3.05 kg (without stand)
Dimensions:	• 540 x 418 x 227 mm (with stand) • 540 x 325 x 44 (without stand)
Manufacturer / Brand:	Hikvision
SAP Code:	302502963
Guarantee:	3 years

PRESENTATION

Front view:



OSD menu control keys:



Rear view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Monitor connectors:



Power socket:



In the kit:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

