

Code: EXT-POE3

## EXTENDER ETHERNET+PoE **EXT-POE3** PULSAR

Net: 27.77 EUR Gross: 34.16 EUR

The EXT-POE3 extender is a device designed to increase the distance of PoE power supply and Ethernet data using the UTP cat. 5/5e twisted pair cable for another 100 m. The device is powered from the PoE switch or other device compliant with this standard.

**Attention!** The device can not be used in networks with bandwidth 1Gbit/s (Gigabit Ethernet).



### SPECIFICATION


Number of inputs:	1 pcs - RJ-45 socket
Number of outputs:	3 pcs - RJ-45 socket
Power supply:	Compliance with PoE (802.3af/at) : 44 V ... 57 V DC
Output voltage:	Compatible with the power supply voltage
Output current:	<ul style="list-style-type: none"><li>• 0.6 A - PoE OUT 1/2 ports - Compliance with PoE (802.3af/at)</li><li>• 0.3 A - Port PoE OUT 3 - Passive PoE</li></ul> Total max. 0.6 A
Input power pairs PoE IN:	1/2 (+) 3/6(-) 4/5 (+) 7/8 (-)
Output power pairs PoE OUT1/2:	4/5 (+) 7/8 (-) - Passive PoE
Ethernet interface:	10/100 Mb/s
Protections:	<ul style="list-style-type: none"><li>• Short-circuit</li><li>• Overload</li></ul>
Operation state indication:	LED diodes
Operation temp:	-10 °C ... 40 °C
Weight:	0.11 kg
Dimensions:	87 x 77 x 25 mm
Manufacturer / Brand:	PULSAR
Guarantee:	2 years

### PRESENTATION


Connectors:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60



Top view:



Schematic diagram:

