

Code: MB-3/PLUS/LIGHT

BALLAST MAST BASE **MB-3/PLUS/LIGHT**

Net: 459.25 PLN Gross: 564.88 PLN

The MB-3/PLUS/LIGHT ballast mast base is perfect to use when there is a need to install the devices on the mast for a specified time (construction works, advertising campaign, festival, etc.). We can instantly without damaging the walls or the ground in a solid way fix the elements on the mast, and next just as quickly all elements disassembled.

To load the base, use concrete blocks of dimensions 380 x 250 x 120 mm and weight min. 22 kg in the dry state.

Attention! The kit does not contain the M6 concrete blocks or mast.




SPECIFICATION


Height of the mast:	max. 2 m (not included)
Mast diameter:	max. Ø 50 mm
Material:	Steel galvanized - Hot-dip galvanized
Main features:	<ul style="list-style-type: none">• External dimensions of the whole base : 2280 x 2280 mm• Whole element is hot-dip galvanized• It is perfect to mount antennas : WLAN, DVB-T
Manufacturer / Brand:	DELTA
Weight:	22 kg
Internal dimensions of the base:	3 x (265 x 390) mm
Guarantee:	3 years

PRESENTATION

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



The base can be placed even on a sloping roof:



Particular elements:





Mast base correctly assembled:



OUR OPINIONS



- The area for mast assembling does not have to be flat.
- At each support you should adjust its height and inclination.

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

- Whole element is hot-dip galvanized.

