

Code: VGA-1680

CONVERTER TO COMPUTER MONITORS **VGA-1680**

Net: **11.95 EUR** Gross: **11.95 EUR**

The VGA-1680 device converts Composite Video signal or S-Video signal to VGA signal.

It supports the VGA output resolutions up to WSXGA 1680x1050 with aspect ratios: 4:3, 16:9 and 16:10.

Allows to connect a DVD, STB, DVR, CCTV camera, and similar devices to the PC monitor. If the computer monitor is equipped with VGA input only, it can be connected to the DVR for a long distance using the VGA-1680 converter. The device allows to switch the inputs signals.



SPECIFICATION

Input:	Video composite (BNC socket) S-VIDEO VGA (bypass)
Input signal possible standards:	PAL NTSC VGA (bypass)
Output:	VGA (bypass)
Supported resolutions:	800x600 @ 60/75 Hz 1024x768 @ 60 Hz 1280x1024 @ 60 Hz
OSD menu:	✓
Possible settings:	brightness, contrast, saturation, hue image "freeze", the settings are saved after power off
Power supply:	5 V / 1 A (power adapter included)
Weight:	0.090 kg
Dimensions:	96 x 55 x 26 mm
Guarantee:	2 years

PRESENTATION

Device sides view:





Example of device using:



In the kit:



Package:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------