

Code: VGA+AU/VGA+Y+2AU

MULTIMEDIA CONVERTER **VGA+AU/VGA+Y+2AU**

Net: **9.72 EUR** Gross: **11.96 EUR**



Converter allows to connect the laptop or computer or other equipment with VGA output to TV-set via Video Component YPbPr input.

SPECIFICATION

Input:	1x VGA 1x Audio (Jack 3.5mm socket)
Output:	1x Component video (Y Pb Pr), 1x VGA (bypass), 2x Audio (loop-through socket Jack 3.5mm), Cinch (R/L)
Supported resolutions:	640x480 @ 60/75 Hz 800x600 @ 60/75 Hz 1024x768 @ 60/75 Hz 1280x800 @ 60 Hz 1280x1024 @ 60 Hz 480p, 720p, 1080i 640x480 @ 60/75 Hz (480p) 800x600 @ 60/75 Hz (720p) 1024x768 @ 60/75 Hz (720P lub 1080i) 1280x800 @ 60 Hz (720P lub 1080i)
Power supply:	5 V DC / 1 A (power adapter included)
Power consumption:	max. 5 W
Operation temp:	-25 °C ... 50 °C
Weight:	0.270 kg
Dimensions:	129 x 105 x 35 mm
Guarantee:	2 years

PRESENTATION

Front panel:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Rear panel:



Example of device using:



In the kit:



Package:





DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60