


Code: SDQ-908

## TV/SAT SPLITTER **SDQ-908** TERRA

Net: **156.68 EUR** Gross: **156.68 EUR**

The SDQ-908 splitter is used to divide 9-wired multiswitch bus into 4 paths. The splitter is equipped with 2 DC-transition switches that in "ON" position pass DC voltage through "H" paths to selected branches.

Die-cast housing guarantees high screening efficiency - class A.




### SPECIFICATION

|                            |                                                                                                                                                                                       |
|----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Number of inputs:          | 9 pcs                                                                                                                                                                                 |
| Number of outputs:         | 36 pcs                                                                                                                                                                                |
| Frequency range:           | <ul style="list-style-type: none"><li>• 950 ... 2400 MHz - SAT,</li><li>• 5 ... 862 MHz - RTV</li></ul>                                                                               |
| Connection loss:           | <ul style="list-style-type: none"><li>• 8 dB - SAT</li><li>• 8 dB - RTV</li></ul>                                                                                                     |
| Isolation between outputs: | 30 dB                                                                                                                                                                                 |
| DC-transition:             | max. 2 A                                                                                                                                                                              |
| Main features:             | <ul style="list-style-type: none"><li>• 8 path SAT + RTV terrestrial splitter</li><li>• The die-cast metal body provides effective shielding and high mechanical resistance</li></ul> |
| Operation temp:            | -20 °C ... 50 °C                                                                                                                                                                      |
| Weight:                    | 1.5 kg                                                                                                                                                                                |
| Dimensions:                | 267 x 135 x 51 mm                                                                                                                                                                     |
| Manufacturer / Brand:      | TERRA                                                                                                                                                                                 |
| Guarantee:                 | 2 years                                                                                                                                                                               |

### PRESENTATION

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60



Top view:



**PACKAGE**

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60