

Code: B5

# UNIVERSAL CONTROL MODULE 24V **B5** VIDOS

Net: **22.82 EUR** Gross: **28.07 EUR**



The B5 control module enables to increase the capabilities of the VIDOS DUO video doorphone system with the possibility of operating the second bolt/gate or lighting control.

The module also enables operation of high-current bolts and opening the entrance using an additional NO contact switch at the exit from the property.


## SPECIFICATION

Number of relay outputs:	1
Power supply:	24 V DC
Relay maximal load:	2 A / 24 V DC
Output:	1 x NO/NC
Main features:	<ul style="list-style-type: none"><li>• Wiring - 2 wires without polarity</li><li>• Electric lock supply: 12V DC / max. 300mA</li><li>• DIP SWITCH for configuration and addressing</li><li>• Operation status LED indicator</li><li>• Output for the additional lock release button or lighting control button</li><li>• Possibility to mount on a wall, or on the DIN TS-35 rail</li></ul>
Weight:	0.13 kg
Dimensions:	89 x 71 x 45 mm
Manufacturer / Brand:	VIDOS
Guarantee:	<b>3 years</b>

## PRESENTATION


Top view:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60



Side view:





Mounting side view:



Internal view (after open the enclosure):



In the kit:



