

Code: PFH610N-H-POE

OUTDOOR SIDE OPENING HOUSING **PFH610N-H-POE** DAHUA

Net: **167.67 EUR** Gross: **167.67 EUR**

The PFH610N-H-POE housing is designed for cameras powered according to the PoE 802.3af/at standard. The half open housing equipped with heaters with thermostat and cooler fan.

Half-open housings allow to easy access to inside mounted elements in contrast to sliding housings. Attention: The camera ground shouldn't be connected to the housing ground.



SPECIFICATION

External dimensions:	404 x 164 x 132 mm
Internal dimensions:	255 x 90 x 83 mm
Glass dimensions:	80 x 100 mm
Material:	Aluminum - powder painted / PC
Thermostat:	✓
Operation temp:	-40 °C ... 60 °C
"Index of Protection":	IP66
Main features:	• The product is adapted to work outdoors (heater and fan cooler built-in), • Power supply : PoE (802.3af/at), • Temperature Sensor - included • Bracket not included in the kit
Weight:	2.57 kg
Manufacturer / Brand:	DAHUA
Guarantee:	3 years


PRESENTATION

Side view:



Internal view of the housing:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60




Connectors:



Bottom view:



Dimensions:



In the kit:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------