

Code: DS-K1101M

## PROXIMITY READER **DS-K1101M** Hikvision

Net: 186.00 PLN Gross: 228.78 PLN

Outdoor proximity cards and key-fobs reader.



### SPECIFICATION

|                                |   |
|--------------------------------|---|
| Cards support:                 | MIFARE 13.56 MHz  |
| Reading distance of prox-keys: | max. 5 cm   |
| Autonomous operation:          | <input checked="" type="checkbox"/>   |
| Keyboard built-in:             | <input checked="" type="checkbox"/>   |
| Doorbell button:               | <input checked="" type="checkbox"/>   |
| Communication:                 | RS-485, Wiegand 34/26   |
| Tamper output:                 | <input checked="" type="checkbox"/>   |
| Power supply:                  | 12 V DC   |
| Maximal current consumption:   | 500 mA  |
| Main features:                 | <ul style="list-style-type: none"><li>• Watchdog built-in</li><li>• LED indication</li><li>• Buzzer</li><li>• Installation in dedicated flush-mounted boxes DS-KAB118</li></ul> |
| Operation temp:                | -20 °C ... 65 °C  |
| Permissible relative humidity: | 10 ... 90 % (non-condensing)  |
| "Index of Protection":         | IP64  |
| Housing:                       | Plastic, Waterproof   |
| Color:                         | Black   |
| Weight:                        | 0.12 kg   |

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

|                       |                    |
|-----------------------|--------------------|
| Dimensions:           | 132 x 92 x 20.5 mm |
| Manufacturer / Brand: | Hikvision          |
| SAP Code:             | 302900507          |
| Guarantee:            | <b>3 years</b>     |

## PRESENTATION

Front panel view:



Mounting side view:






On the body, under the cover there are placed configuration switches:



Connectors:



Connectors description:

| WIRE COLOR | SIGNAL |
|------------|--------|
| ORANGE     | ERR    |
| WHITE      | W1     |
| GREEN      | W0     |
| BLUE       | 485B   |
| YELLOW     | 485A   |
| RED        | 12V    |
| BLACK      | GND    |
| GREY       | TAMPER |
| PURPLE     | BEEP   |
| BROWN      | OK     |

In the kit:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60