

Code: MCT66E-IO

PROXIMITY READER **MCT66E-IO** ROGER

Net: **73.08 EUR** Gross: **73.08 EUR**

Outdoor proximity cards and key-fobs reader. Unique 125 kHz standard.



SPECIFICATION

Support:	RACS 5 (Roger)
Cards support:	Unique EM 125kHz
Reading distance of prox-keys:	max. 7 cm
Keyboard built-in:	—
Autonomous operation:	—
Doorbell button:	—
Tamper output:	✓
Communication:	• RACS 5 (Roger), • RS-485
Main features:	• Tamper protection (detection of removing from mounting surface and enclosure opening) • LED indication • Beep signal • 3 programmable input lines NO/NC • Two transistor outputs : 15 V / 1 A • Relay output - NO/NC : 30 V / 1.5 A
Power supply:	10 ... 15 V DC
Average current consumption:	40 mA
Operation temp:	-25 °C ... 60 °C
Permissible relative humidity:	10 ... 95 % (non-condensing)
"Index of Protection":	IP65

Weight:	0.14 kg
Dimensions:	85 x 85 x 27 mm
Manufacturer / Brand:	ROGER
Guarantee:	3 years

PRESENTATION

Front view:



Internal view (after open the enclosure):



Mounting side view:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------