

Code: ATLO-KRMF-511

CODE LOCK ATLO-KRMF-511

Net: 84.04 EUR Gross: 103.37 EUR



Outdoor, autonomous code lock with fingerprint and RFID reader.

Autonomous operation of the device allows the user to:

- Opening by card, PIN or fingerprint.
- Remembering saved cards, PINs and fingerprint patterns.
- Signaling left the door open.
- Acoustic and optical signaling.

Administrator capabilities are following:

- Programming by using the keypad.
- Adding a new card by using the keypad.
- Adding a new card and entering a PIN code.
- Changing the PIN code of the user.
- Deleting the PIN code of the user.
- Setting the lock release time.
- Restoring the default settings.

ATTENTION! It can be used outdoors, but under a roof.

SPECIFICATION

Cards support:	Unique EM 125kHz
Reading distance of prox-keys:	max. 5 cm
Autonomous operation:	✓
Keyboard built-in:	✓
Doorbell button:	—
Tamper output:	—
Power supply:	12 V DC ± 10%
Maximal current consumption:	60 mA
Main features:	<ul style="list-style-type: none">• Control of touch-sensitive buttons,• 10 000 indexed users,• 300 indexed fingerprints ,• Opening by card, PIN or fingerprint• Wiegand interface 26 bit• White backlight• Support for door contact and exit button• NO/NC output• Possible connection of the external ATLO-R series reader (read in/out access control)
Operation temp:	-40 °C ... 60 °C
Permissible relative humidity:	10 ... 90 % (non-condensing)
Housing:	High quality stainless steel + Tempered glass
Color:	Silver + Black

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

"Index of Protection":	IP65
Vandal-proof:	✓
Weight:	0.38 kg
Dimensions:	70 x 139 x 22 mm
Manufacturer / Brand:	ATLO
Guarantee:	3 years

PRESENTATION

Front panel view:




Rear view:



Connectors description:



Internal view of the housing:



In the kit:

