

Code: USB-EX-150/4-USB

EXTENDER USB-EX-150/4-USB

Net: 103.22 EUR Gross: 126.96 EUR

The USB-EX-150/4-USB is a USB extension cable that can implement a point-to-point connection using cat. 5e/6/7 network cables. It has 4 input channels for USB 2.0 devices such as printer, camera, scanner, USB flash drive, keyboard, mouse, touch screen, etc.

The device supports a cascade of gigabit switches, which allows to increase the transmission distance.



SPECIFICATION

Connectors:	<ul style="list-style-type: none">• Transmitter :<ul style="list-style-type: none">- 1 x USB-A- 1 x RJ-45 shielded socket• Receiver :<ul style="list-style-type: none">- 4 x USB-A- 1 x RJ-45 shielded socket
Range:	<ul style="list-style-type: none">• 150 m - USB 2.0 @ UTP cat. 6,• 100 m - USB 2.0 @ UTP cat. 5e
UTP category:	5e / 6 / 6A / 7
Main features:	<ul style="list-style-type: none">• USB 2.0 - High-Speed (480 Mb/s) (compatible with older)• Supports 4 USB 2.0 inputs and 1 USB 2.0 output• The transmitter is powered from the source device - no additional power supply is required• The device supports a cascade of gigabit switches, which allows to increase the transmission distance• Lightning protection, surge protection, ESD protection• Easy installation - Plug&Play USB device type
Power supply:	5 V DC / 1 A (power adapter included) - Receiver
Operation temp:	-20 °C ... 60 °C
Housing:	Metal
Weight:	0.12 kg
Dimensions:	77 x 61 x 21 mm
Guarantee:	2 years

PRESENTATION

Transmitter and receiver connectors:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60




Top view:



Point-to-Point connection:



Connection via switch:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

