

Code: BML-205-10

LASER FIBER TESTER **BML-205-10** 650 nm > 10 mW max. 10 km TriBrer

Net: **33.93 EUR** Gross: **41.73 EUR**

The BML-205-10 Laser Fiber Tester enables optical localization of the fiber damages (Visual Fault Locator - VFL) and allows to quickly and accurately locate the break point or fracture of the fiber. The device generates visible light of wavelength 650nm. A laser with a power of 10 mW allows to check the fiber cable with a maximum length of 10 km. In addition, the device has the ability to operate in both continuous (CW) and pulsed (GLINT) modes.

Selection the technical parameters of the device in combination with small dimensions makes the BML-205-10 visual locator the perfect choice for any fiber optic installer. The universal connector allows to connect all optical connectors of 2.5 mm standard, eg SC/FC/ST.

WARNING! Avoid directing the laser beam towards the skin and eyes when using this product.



SPECIFICATION

Optical wavelength:	650 nm
Optical output power:	> 10 mW
Operation range:	max. 10 km
Connector type:	Universal
Application:	Visual localization of the fiber damage
Material:	Aluminum - powder painted
Main features:	<ul style="list-style-type: none">• The universal connector allows to connect all optical connectors of 2.5 mm standard, eg SC/FC/ST• High durability tool, made from high quality materials• Universal connector allows to test any fiber optic installation• The device works with both single-mode and multi-mode fibers• Small dimensions• The set includes a practical case
Power supply:	2 x 1.5 V - Battery type LR6 (AA) (not included)
Weight:	0.08 kg - Without batteries
Dimensions:	Ø 27 x 176 mm
Manufacturer / Brand:	TriBrer
Guarantee:	2 years

PRESENTATION

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60





connector:





Device is secured by handy case:



OUR OPINIONS



- o Solid workmanship.