

Code: SP-OM36/MINI

OPTICAL POWER METER **SP-OM36/MINI** Spacetronik

Net: 50.73 EUR Gross: 62.40 EUR



SPECIFICATION

Sensor type:	InGaAs
Optical wavelength:	850 nm / 1300 nm / 1310 nm / 1490 nm / 1550 nm / 1625 nm
Power measurement range:	26 ... -50 dBm
Accuracy:	± 3 %
Measuring accuracy:	0.01 dBm
Connector type:	FC, SC
Main features:	<ul style="list-style-type: none">• The device is equipped with a 2.5mm universal connector with FC, SC adapters• High measurement accuracy• Fast tracking display and real-time measurement of optical power when changing output power• Wide measuring range• Absolute measurement of optical power and measurement of relative power• Low battery indicator• Automatic calibration after turned on• Automatic power-off• Large, readable LCD display with backlight• High durability tool, made from high quality materials• Small dimensions• The set includes a practical case
Power supply:	3 x 1.5 V - Battery type LR3 (AAA) (not included)
Backup time:	> 120 h
Weight:	0.12 kg - Without batteries
Dimensions:	131 x 66 x 29 mm

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Manufacturer / Brand:	Spacetronek
Guarantee:	2 years

PRESENTATION

Front panel:



The device is equipped with a 2.5mm universal connector with FC, SC adapters:



Rear view:



Place for batteries 3 x 1.5V AAA:



In the kit:



Device is secured by handy case:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

