

Code: BML-205-30

# LASER FIBER TESTER **BML-205-30** 650 nm > 30 mW > 10 km TriBrer

Net: **38.03 EUR** Gross: **38.03 EUR**

The BML-205-30 Laser Fiber Tester enables optical localization of the fiber damages (Visual Fault Locator - VFL) and allows to quickly and accurately locate the break point or fracture of the fiber. The device generates visible light of wavelength 650nm. A laser with a power of 30 mW allows to check the fiber cable with a maximum length of >10 km. In addition, the device has the ability to operate in both continuous (CW) and pulsed (GLINT) modes.

Selection the technical parameters of the device in combination with small dimensions makes the BML-205-30 visual locator the perfect choice for any fiber optic installer. The universal connector allows to connect all optical connectors of 2.5 mm standard, eg SC/FC/ST.

WARNING! Avoid directing the laser beam towards the skin and eyes when using this product.



## SPECIFICATION

Optical wavelength:	650 nm
Optical output power:	> 30 mW
Operation range:	> 10 km
Connector type:	Universal
Application:	Visual localization of the fiber damage
Operation mode:	<ul style="list-style-type: none"><li>• CW - continuous</li><li>• GLINT - pulsating light (pulsation frequency: 2 Hz)</li></ul>
Main features:	<ul style="list-style-type: none"><li>• The universal connector allows to connect all optical connectors of 2.5 mm standard, eg SC/FC/ST</li><li>• High durability tool, made from high quality materials</li><li>• Universal connector allows to test any fiber optic installation</li><li>• The device works with both single-mode and multi-mode fibers</li><li>• Mounted shield protects unused socket against dust</li><li>• Small dimensions</li><li>• The set includes a practical case</li></ul>
Material:	Aluminum - powder painted
Power supply:	2 x 1.5 V - Battery type LR6 (AA) (not included)
Weight:	0.074 kg - Without batteries
Dimensions:	Ø 26 x 175 mm
Manufacturer / Brand:	TriBrer
Guarantee:	2 years

## PRESENTATION

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60



connector:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60



In the kit:



## OUR OPINIONS



- Solid workmanship.

## PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

