

Code: MCE-520

## LED FLOODLIGHT **MCE-520** MACLEAN ENERGY

Net: **6.50 EUR** Gross: **8.00 EUR**

Illuminator can be used indoors and outdoors. Incomparably greater lifetime of the LEDs compared to traditional halogen bulb provides cheap and reliable operation.

The use of multiple LEDs provides a better heat dissipation, and the longer lifetime of the reflector and allows for uniform light output.

The device meets the IP65 tightness class.



### SPECIFICATION

Luminous flux:	1600 lm
Illumination angle:	120 °
Light color:	Neutral, 4000 K
Twilight switch:	—
Power supply:	220 ... 240 V AC
Nominal power:	20 W
Energy class:	Energy efficiency class A++/A+/A (Regulation (EU) 874/2012)
CRI:	> 80
Main features:	<ul style="list-style-type: none"><li>• LED SMD diodes</li><li>• LED lifetime 50 000 h</li><li>• Solid workmanship</li></ul>
Housing:	Aluminum
"Index of Protection":	IP65
Operation temp:	-20 °C ... 35 °C
Weight:	0.23 kg
Dimensions:	110 x 90 x 28 mm
Manufacturer / Brand:	MACLEAN ENERGY
Guarantee:	2 years

### PRESENTATION

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

Front view:



Rear view:



Connectors:



**PACKAGE**

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

