

Code: MCE-550

## LED FLOODLIGHT **MCE-550** MACLEAN ENERGY

Net: **12.74 EUR** Gross: **12.74 EUR**

Illuminator can be used indoors and outdoors. Incomparably greater lifetime of the LEDs compared to traditional halogen bulb provides cheap and reliable operation.

The use of multiple LEDs provides a better heat dissipation, and the longer lifetime of the reflector and allows for uniform light output.

The device meets the IP65 tightness class.



### SPECIFICATION

|                        |                                                                                                                              |
|------------------------|------------------------------------------------------------------------------------------------------------------------------|
| Luminous flux:         | 4700 lm                                                                                                                      |
| Illumination angle:    | 120 °                                                                                                                        |
| Light color:           | Neutral, 4000 K                                                                                                              |
| Twilight switch:       | —                                                                                                                            |
| Power supply:          | 220 ... 240 V AC                                                                                                             |
| Nominal power:         | 50 W                                                                                                                         |
| Energy class:          | Energy efficiency class F (Regulation (EU) 2019/2015)                                                                        |
| CRI:                   | > 80                                                                                                                         |
| Main features:         | <ul style="list-style-type: none"><li>• LED SMD diodes</li><li>• LED lifetime 20 000 h</li><li>• Solid workmanship</li></ul> |
| Housing:               | Aluminum                                                                                                                     |
| "Index of Protection": | IP65                                                                                                                         |
| Operation temp:        | -20 °C ... 35 °C                                                                                                             |
| Weight:                | 0.53 kg                                                                                                                      |
| Dimensions:            | 170 x 150 x 28 mm                                                                                                            |
| Manufacturer / Brand:  | MACLEAN ENERGY                                                                                                               |
| Guarantee:             | 2 years                                                                                                                      |

## PRESENTATION

Front view:



Rear view:



Connectors:



## PACKAGE

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|