

Code: HDMI-RPT45/SIG

## REPEATER **HDMI-RPT45/SIG**

Net: **5.87 EUR** Gross: **7.22 EUR**

Device allows to increase the range of signal transmission via HDMI cable.

The repeater should be installed between the long HDMI cables connecting the devices. Maximum cable lengths should not exceed 35m between the signal source and the repeater and 10m between the repeater and the receiver.

HDMI-RPT45/SIG is perfect solution to connect the TV-SAT receiver, DVD player, computer or game-console to the TV-set/monitor for a long distance.



### SPECIFICATION

Supported HDMI resolutions:	DTV/HDTV : 480i, 576i, 480p, 576p, 720p, 1080i, 1080p
Framerate:	24, 50, 60 fps
Maximal transmission range:	45 m
Max. Bandwidth:	1.65 GHz
Power supply:	From HDMI cable
Operation temp:	-15 °C ... 50 °C
Permissible relative humidity:	5 % ... 90 % (non-condensing)
Weight:	0.02 kg
Dimensions:	47 x 33 x 15 mm
Guarantee:	2 years

### PRESENTATION

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60





## PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

