

Code: LE-412253


**OVERVOLTAGE LIMITER LE-412253 THREE-PHASE 1+2 TYPE LEGRAND**

Net: 707.66 PLN Gross: 870.42 PLN

Protection device, protects the devices against lightning discharges or surges in AC 230V power lines. The LE-412253 device is designed to mount on DIN TS-35 rail.

The condition of correct protection is connecting the LE-412253 device to the proper grounding or PE wire.

**SPECIFICATION**

Device type:	Overvoltage limiter, Three-phase
Rated voltage:	230 / 400 V AC, 50 / 60 Hz
Maximal voltage:	320 V AC, 50 / 60 Hz
Class:	1+2 type ( Class B+C )
Protection level Up L/PE, N/PE:	1.2 kV @ 10/350 $\mu$ s (T1) 1.7 kV @ 8/20 $\mu$ s (T2)
Nominal discharge current (L/PE, N/PE):	8 kA @ 10/350 $\mu$ s (T1) 20 kA @ 8/20 $\mu$ s (T2)
Maximum stroke current (L/N, L/PE, N/PE):	50 kA @ 8/20 $\mu$ s (T2)
Operation state indication:	
Connectors type:	screw terminals
Housing:	Plastic, DIN, TS-35 rail mounting
Width in 17.5 mm modules:	4
Weight:	0.552 kg
Dimensions:	71 x 83 x 70 mm
Manufacturer / Brand:	LEGRAND
Guarantee:	2 years


**PRESENTATION**

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60


Front view:



Side view:



Mounting side view:



Bottom view:



