

Code: LE-412223

OVERVOLTAGE LIMITER **LE-412223** THREE-PHASE 2 TYPE LEGRAND

Net: **82.34 EUR** Gross: **82.34 EUR**

Protection device, protects the devices against lightning discharges or surges in AC 230V power lines. The LE-412223 device is designed to mount on DIN TS-35 rail.

The condition of correct protection is connecting the LE-412223 device to the proper grounding or PE wire.



SPECIFICATION

| | |
|---|-----------------------------------|
| Device type: | Overvoltage limiter, Three-phase |
| Rated voltage: | 230 / 400 V AC, 50 / 60 Hz |
| Maximal voltage: | 320 V AC, 50 / 60 Hz |
| Class: | 2 type (Class C) |
| Protection level Up L/PE, N/PE: | 1.2 kV @ 8/20 μ s (T2) |
| Nominal discharge current (L/PE, N/PE): | 5 kA @ 8/20 μ s (T2) |
| Maximum stroke current (L/N, L/PE, N/PE): | 20 kA @ 8/20 μ s (T2) |
| Operation state indication: | ✓ |
| Connectors type: | screw terminals |
| Housing: | Plastic, DIN, TS-35 rail mounting |
| Width in 17.5 mm modules: | 4 |
| Weight: | 0.334 kg |
| Dimensions: | 71 x 83 x 70 mm |
| Manufacturer / Brand: | LEGRAND |
| Guarantee: | 2 years |

PRESENTATION


Front view:




DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Side view:




Mounting side view:



Bottom view:





PACKAGE

| | |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|

