

Code: YK-930EFFIO

HIDDEN CAMERA **YK-930EFFIO** STANDARD: PAL, PIR DETECTOR 700 TVL 3.7 mm

Net: **54.25 EUR** Gross: **54.25 EUR**

The color camera hidden in dummy PIR (without the real PIR).
Camera equipped with perfect very high resolution Sony sensor and Sony Effio Digital Image Processor. Very high resolution of the camera sensor ensures more detailed image than standard CCTV camera. Due to above it is perfect solution for surveillance systems requiring persons or vehicles recognition.
If you need good quality image from camera equipped with PINHOLE lens, we can recommend this camera model for you.



SPECIFICATION

Standard:	PAL
Sensor:	1/3 " Sony EXview HAD II CCD
Digital Image Processor:	DSP Sony Effio-E
Resolution:	700 TVL
Lens:	3.7 mm (pinhole)
View angle:	66 ° - Camera view angle
PIR detector:	—
Audio:	—
Min. illumination:	0.06 Lux (color) 0.006 Lux (B/W)
Video output:	1 Vpp / 75 Ω BNC
Housing:	Spy, Plastic
Color:	White
Alarm outputs:	—
Power supply:	12 V DC / 150 mA



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60


Main features:	• BLC/HLC - Back Light / High Light Compensation • WDR - Wide Dynamic Range • Motion Detection - max. 4 zones • Privacy zones - max. 4 • Day/Night mode - configurable • Auto White Balance • Mirror - Mirror image • Sharpness - sharper image outlines
Application:	The camera is designed for indoor use, due to the possibility of steam condensation.
Operation temp. / Relative humidity:	-10 °C ... 50 °C / max. 85 %
Weight:	150 g
Dimensions:	119 x 70 x 77 mm
Guarantee:	2 years

PRESENTATION

Mounting side view:



In the kit:



OUR TESTS

Camera image at artificial illumination (about 30Lux):



Camera image at direct strong light opposite to camera:



Camera image at night conditions, at different illumination values show below:

1 LUX:



0.1 LUX:



OUR OPINIONS



- Perfect Sony Effio processor.
- Perfect and real colors reproduction.
- Very high resolution image sensor.



- Camera sensitivity parameter is lower than value declared by the manufacturer.

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60