

Code: DS-D5032FL

MONITOR HDMI, VGA, CVBS, AUDIO **DS-D5032FL** 32 " Hikvision

Net: **668.48 EUR** Gross: **668.48 EUR**

The LED matrix illumination technology allows to real colors reproduction, 40% lower current consumption and much lower failure rate compared to normal LCD monitors with CCFL illumination.



SPECIFICATION

Screen size:	32 "
Native resolution:	1920 x 1080 px
Aspect ratios:	16 : 9
Matrix type:	TFT-LCD color matrix
Matrix backlight:	In LED technology
Contrast:	3000 : 1
Brightness:	400 cd/m ²
Viewable angles:	178 ° horizontal 178 ° vertical
Response time:	6.5 ms (typical)
Speakers built-in:	2 x 3 W
Signal connectors:	• 1 x HDMI • 1 x DVI • 1 x VGA • 1 x BNC socket - CVBS • 2 x Jack 3.5 mm socket - Audio, Output and input • 1 x USB 2.0 • 1 x RJ45 - RS232 • 1 x Power supply - IEC socket
Number of displayed colors:	16.7 M
HDCP:	—
Housing type:	Metal
DLNA:	—
Monitor mounting standard:	VESA 200

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Robbery protection:	—
Parameters adjustment:	OSD - by monitor control keys
Main features:	• 3D Comb Filter • 3D Noise Reduction • Auto Picture Adjustment • Designed to continuous operation 24/7
Power supply:	100 ... 240 V AC
Power consumption:	• < 60 W (typical) • < 1 W (in standby mode)
Weight:	12.9 kg
Dimensions:	732 x 452 x 73 mm
Manufacturer / Brand:	Hikvision
SAP Code:	302500742
Guarantee:	3 years

PRESENTATION



OSD menu control keys:



Rear view:





Power connector:




Monitor connectors:



Dimensions:






In the kit:



The RJ-45 - D-SUB DE-9 adapter for RS-232 interface included:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------