

Code: HC-BG636-48M

HUNTING CAMERA HC-BG636-48M

Net: 347.60 EUR Gross: 347.60 EUR



Very good digital hunting camera, perfect to monitoring animals eg. in the forest, and also to surveillance houses, summer cottages, stores, etc. Built-in InfraRed illuminator enables recording video data also at night. Even with IR illuminator on, the device is completely invisible to the human eye, due to use the IR LEDs with 940 nm wavelength. Due to above the illuminator is completely invisible to the human eye. Camera is triggering by PIR detector and based on its settings can take one image or a few images or records a video sequence.

Minimal power consumption ensures very long and continuous operation time on batteries, even up to 8 months.

Hunting camera is full hermetic and resistant to very different environment conditions.

Attention! The hunting camera requires the use of an SD card for proper operation. Do not use micro SD cards with adapters.

SPECIFICATION

Sensor:	16 Mpx CMOS
View angle:	70 °
IR illuminator wavelength:	940 nm (invisible to the human eye)
Range of IR illumination:	25 m
Number of taking photos at once:	max. 3
Built-in monitor:	2.3 " - Parameters and options display, still images playback
Internal memory:	—
External memory:	max. 32 GB SD memory card (not included)
Still image resolution:	max. 48 Mpx
Video sequence resolution:	1920 x 1080 1280 x 720 640 x 480
Video sequence duration time:	5 s ... 3 minutes
Day/night mode:	ICR automatic filter
PIR detection range:	30 m (max)
Detection angle:	60 ° (max)

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

PIR detector:	PIR sensitivity can be set - 3 levels
GSM/GPRS communication:	• sending the MMS or e-mail messages with images to the previously set mobile phone numbers or e-mail addresses - LTE / 4G support, • Auto-uploads captured pictures to FTP or the client
Battery power supply:	• 8 pcs AA (Batteries) • 5 pcs 18650 battery • DC 6V/12W power adapter (not included)
Stand-by power consumption:	< 0.3 mA, < 7 mAh / 24h
Operating power consumption:	< 150 mA (350mA with IR illuminator on) - max. 400 records with a length of 10 s made in intervals of 5 min; min 500 MMS messages on battery power (8 x Battery type AA)
Operation temp:	-20 °C ... 60 °C
Permissible relative humidity:	5 ... 90 % (non-condensing)
Audio:	Microphone built-in, 8 kHz / 16 bit
Main features:	• Time Lapse function - takes a picture at a specified time, regardless of whether there is motion (5, 10, 15min ... 55min, 1h ... 8h) • The device supports the Molnus cloud, which is also possible to access from the smartphone using the application : - Android: Free application Molnus - iOS: Free application Molnus
Weight:	0.4 kg
Dimensions:	- 104 x 151 x 80 mm - without antenna - 104 x 339 x 81 mm - with antenna
Supported languages:	Polish, English, Czech, Danish, French, Finnish, Spanish, German, Norwegian, Russian, Slovenian, Swedish, Italian
Guarantee:	2 years

PRESENTATION

Front panel:



Bottom view:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Top view:



Internal view:



Place for batteries 8 x 1.5V AA / 5 x 18650:



USB-C connector:



Side view:



Memory card and SIM card slot:




Mounting side view:





In the kit:



Examples of screenshots of the Molnus cloud web interface:





OUR OPINIONS



- Very long operation time with battery supply.

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60