

Code: ATK-D2/N

OMNIDIRECTIONAL ANTENNA ATK-D2/N

Net: 18.70 EUR Gross: 23.00 EUR

The ATK-D2/N indoor omnidirectional antenna used for distribution the amplified signal from GSM repeater. Compact and streamlined design makes antenna fits nicely with the surroundings.
When GSM repeater has been installed in large object, to increase the range of amplified GSM signal should be used a few indoor antennas.



SPECIFICATION


Frequency range:	806 ... 960 MHz 1710 ... 2500 MHz
Connector:	"N" Socket
Gain :	max. 3 dB
Impedance:	50 Ω
Polarization:	Vertical
Main features:	• Small dimensions
Weight:	0.26 kg
Dimensions:	Ø 165 x 94 mm
Guarantee:	2 years

PRESENTATION




DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Mounting methods:




- 1) plasterboard
- 2) connector
- 3) mounting accessory
- 4) screw



- 1) connector
- 2) nut
- 3) ceiling
- 4) internal antenna

Antenna characteristics:



Example of application:

