

Code: NVR116E2

## IP DVR **NVR116E2** 16 CHANNELS UNIARCH

Net: **84.56 EUR** Gross: **104.01 EUR**



The UNIARCH series product has been designed to maximum cost reduction while maintaining high quality and ease of use.

### SPECIFICATION

|                                     |   |
|-------------------------------------|---|
| Standard:                           | TCP/IP  |
| Supported resolutions:              | max. 8.3 Mpx 4K UHD - 3840 x 2160 px  |
| Video outputs:                      | 1 pcs HDMI 4K<br>1 pcs VGA  |
| Audio support:                      | 16 Channels - Audio from cameras  |
| Audio inputs:                       | —   |
| Audio outputs:                      | 1 pcs Jack 3.5 mm socket  |
| Image compression method:           | Ultra 265 / H.265 / H.264   |
| Supported hard drives:              | 1 x 6 TB SATA   |
| Recording modes:                    | Manual, Motion Detection, Schedule  |
| Network protocols:                  | P2P, UPnP, DHCP   |
| External storage devices backup:    | Backup to USB drive (pendrive, external drive)  |
| Searching and playback the records: | Records searching: by time and events type. Records playback: forward, backward, fast, slow<br>Advanced searching (to the one second accuracy)<br>1/2/4/8/16 channel synchronous playback |
| Network functions:                  | Full support via network, Remote records copying, Web Server built-in<br>max. 128 on-line users   |
| Bitrate:                            | max. 64 Mbps  |
| Default admin user / password:      | admin / 123456  |
| Default IP address:                 | DHCP or 192.168.1.30  |
| RTSP URL:                           | rtsp://192.168.1.30:554/unicast/c1/s0/live - Main stream<br>rtsp://192.168.1.30:554/unicast/c1/s1/live - Sub stream   |
| Web browser access ports:           | 80, 554   |
| PC client access ports:             | Port no.: 80 or access by a cloud (P2P) - PC: Free application <a href="#">Uniarch Client</a>   |
| Mobile client access ports:         | 80  |
| Mobile phones support:              | Port no.: 80 or access by a cloud (P2P)<br>• Android: Free application <a href="#">Uniarch</a><br>• iOS (iPhone): Free application <a href="#">Uniarch</a>                                |

|                                  |   |
|----------------------------------|---|
| Alarm inputs / outputs:          | —   |
| PTZ control:                     | PTZ Uniarch cameras   |
| Motion Detection:                | ✓   |
| USB:                             | 2 x USB 2.0   |
| Mouse support:                   | ✓   |
| IR remote controller in the set: | —   |
| Power supply:                    | 12 V DC   |
| Weight:                          | 0.78 kg   |
| Dimensions:                      | 260 x 247 x 46 mm   |
| Supported languages:             | Polish, English, Czech, French, Spanish, Dutch, German, Portuguese, Slovak, Italian |
| Country of origin:               | China   |
| Manufacturer / Brand:            | UNIVIEW / UNIARCH   |
| Guarantee:                       | <b>3 years</b>  |

## PRESENTATION

Top view:




Rear panel:



See how to mount a hard disk drive and configure the recorder:

:

In the kit:



Example captures of device interface:



