

Code: BCS-NVR32085ME-II

IP DVR **BCS-NVR32085ME-II** 32 CHANNELS

Net: **904.21 EUR** Gross: **1 112.18 EUR**



The BCS-NVR32085ME-II digital recorder is a professional device using in IP surveillance systems.

SPECIFICATION

| | |
|-------------------------------------|--|
| Standard: | TCP/IP |
| Supported resolutions: | 32 @ 3840 x 2160 px, 32 @ 3072 x 2048 px, 32 @ 2592 x 1944 px, 32 @ 2048 x 1536 px, 32 @ 1920 x 1080 px, 32 @ 1280 x 960 px, 32 @ 1280 x 720 px, 32 @ 704 x 576 px |
| Video outputs: | 1 pcs HDMI 1 pcs VGA |
| Audio support: | 32 Channels - Audio from cameras |
| Audio inputs: | 1 pcs CINCH - Microphone |
| Audio outputs: | 1 pcs - CINCH |
| Image compression method: | H.265 / H.264 / MJPEG |
| Maximal total frame rate: | 800 fps @ 3840 x 2160 px, 800 fps @ 3072 x 2048 px, 800 fps @ 2592 x 1944 px, 800 fps @ 2048 x 1536 px, 800 fps @ 1920 x 1080 px, 800 fps @ 1280 x 960 px, 800 fps @ 1280 x 720 px, 800 fps @ 704 x 576 px, |
| Supported hard drives: | 8 x 6 TB SATA III |
| Recording modes: | Manual, Sensor, Motion detection, Schedule |
| Network protocols: | HTTP, HTTPS, IPv4/IPv6, TCP/IP, UPnP, RTSP, UDP, SMTP, NTP, DHCP, DNS, IP Filter, PPPoE, DDNS, FTP, IP Search, Lechange, ONVIF |
| External storage devices backup: | Backup to USB drive (pendrive) |
| RS-232 interface: | ✓ |
| Searching and playback the records: | Records searching: by time and events type. Records playback: forward, backward, fast, slow "Frame by Frame" playback function All channels synchronous playback, Smart Search function |
| Bitrate: | max. 200 Mbps (total) |
| Network functions: | Full support via network, Remote records copying, Web Server built-in max. 128 on-line users |

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

| | |
|----------------------------------|---|
| Mobile phones support: | Port no.: 37777 or access by a cloud (P2P) <ul style="list-style-type: none"> • Android: Free application gDMSS Plus or DMSS • iOS (iPhone): Free application iDMSS Plus or DMSS |
| Alarm inputs / outputs: | 16 pcs / 4 pcs |
| PTZ control: | RS-485 - Many protocols |
| Motion Detection: | 22 x 18 motion zones 6 sensitivity levels |
| Mouse support: | ✓ |
| IR remote controller in the set: | — |
| Power supply: | 230 V AC |
| Weight: | 6.64 kg |
| Dimensions: | 440 x 470 x 93 mm |
| Supported languages: | Polish, English |
| Country of origin: | China |
| Manufacturer / Brand: | BCS |
| Guarantee: | 2 years For products purchased after 01.01.2018, a 3-year warranty applies |

PRESENTATION

Front panel:



Rear panel:



In the kit:



OUR OPINIONS

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



- Audio transmission via network.

