

Code: ACX-220

WIRELESS EXPANDER **ACX-220** ABAX/ABAX2 SATEL

Net: **43.93 EUR** Gross: **54.03 EUR**

The module allows to connect wireless devices to the wireless ABAX/ABAX2 system.



SPECIFICATION


Inputs:	4 pcs NO, NC, EOL, 2EOL/NO, 2EOL/NC
Outputs:	4 pcs Relay
Frequency band:	868 ... 868.6 MHz
Radio communication range (at open area):	<ul style="list-style-type: none">• ≤ 2000 m - ABAX2 @ ACU-220,• ≤ 1600 m - ABAX2 @ ACU-280,• ≤ 500 m - ABAX
Tamper output:	✓
Relay switching current:	max. 1 A
Relay switching voltage:	max. 24 V
Main features:	<ul style="list-style-type: none">• Remote configuration• Remote update of module software• Tamper detection - opening the enclosure
Power supply:	12 V DC
Current consumption:	max. 120 mA
Operation temp:	-10 °C ... 55 °C
Weight:	0.205 kg
Dimensions:	159 x 126 x 32 mm
Manufacturer / Brand:	SATEL
Guarantee:	2 years

PRESENTATION





DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Internal view of the housing:



Connectors:



Rear view:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

