

Code: ACU-280

WIRELESS SYSTEM CONTROL **ACU-280** ABAX2 SATEL

Net: **85.57 EUR** Gross: **85.57 EUR**



The ACU-280 controller makes it possible to use wireless ABAX2 system devices with INTEGRA, INTEGRA Plus and VERSA control panels.

The ACU-280 module supports up to 48 wireless devices and, additionally, provides a number of tools streamlining installation and consecutive system maintenance.

SPECIFICATION


Support:	INTEGRA, INTEGRA Plus, VERSA
Number of supported wireless devices:	max. 48
Frequency band:	868 MHz ... 868.6 MHz
Range:	≤ 1600 m - in open area
Main features:	<ul style="list-style-type: none">• Bidirectional communication• Support for up to 6 wireless keypads• Support for up to 248 keyfobs APT-200• Firmware update without need to unmount the device• Tamper protection (detection of removing from mounting surface and enclosure opening)
Power supply:	12 V DC
Current consumption:	max. 60 mA
Operation temp:	-10 °C ... 55 °C
Permissible relative humidity:	93 %
Weight:	0.04 kg
Dimensions:	136 x 25 x 29 mm
Manufacturer / Brand:	SATEL
Guarantee:	2 years

PRESENTATION

Internal view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Mounting side view:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

