

Code: ASW-200-F

WI-FI SMART PLUG ABAX/ABAX2 **ASW-200-F** 2300 W SATEL

Net: **60.32 EUR** Gross: **60.32 EUR**



The ASW-200-F Smart Plug allows to control the devices connected to it using the application, keyfob, keypad. The device is designed to work within two-way wireless ABAX/ABAX2 system.

SPECIFICATION

Rated voltage:	230 V AC, 50 / 60 Hz
Maximal total load:	2300 W
Total maximal current:	10 A
Power consumption:	1 W (Standby mode)
Number of outlets:	1 pcs
Socket type:	CEE 7/3 (Schuko)
Plug type:	CEE 7/7
Grounding:	✓
Wireless:	Satel ABAX/ABAX2, 868.0 ... 868.6 MHz
Main features:	<ul style="list-style-type: none">• Remote update of software,• Remote configuration,• Bi-directional encrypted radio communication - AES,• Frequency hopping against jamming for reliable transmission,• LED indication - Current consumption / Failure signaling• Operation modes : manual / manual or remote access / manual or remote access (blocking function)• ON/OFF button• Operating range in open area : 1000 m ABAX2, 500 m ABAX• Protections : Overload, Overheat• Easy operation• Environmental class EN 50130-5 : II• Supported norms : EN50130-4, EN50130-5
Housing:	Plastic
Color:	Light gray
Operation temp:	-10 °C ... 55 °C

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Permissible relative humidity:	max. 93 % ± 3 %
Weight:	0.062 kg
Dimensions:	Ø 45 x 70 mm
Manufacturer / Brand:	SATEL
Guarantee:	2 years

PRESENTATION



Connectors:





OUR OPINIONS



- Compactness tool.

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------