

Code: PCX/AM078-L0/AM

## ALARM CONTROL PANEL **PCX/AM078-L0/AM** PYRONIX

Net: **824.00 PLN** Gross: **1 013.52 PLN**

The PCX/AM078-L0/AM alarm control panel is intended for security of small and medium-sized facilities, offering comprehensive functionality in the field of security systems.



### SPECIFICATION



Mainboard inputs:	8 pcs
Mainboard outputs:	15 pcs
Maximal number of supported inputs:	78 pcs
Maximal number of supported outputs:	85 pcs
Users + admins:	100
Partitions:	<input type="checkbox"/>
Zones:	8
Events memory:	1250
Timers:	<input type="checkbox"/>
Supported keypads:	8 pcs ( 6 pcs wire )
Access from PC:	<ul style="list-style-type: none"><li>• RS-232</li><li>• PyronixCloud (PCX Insite application)</li></ul>
Mobile phones support:	<ul style="list-style-type: none"><li>• Android: Darmowa aplikacja <a href="#">HomeControl+</a></li><li>• iOS: Darmowa aplikacja <a href="#">HomeControl+</a></li><li>• Remote control of the control panel via SMS</li></ul>
Keyboard included:	<input type="checkbox"/>
Enclosure included:	<input type="checkbox"/>
Protection class (Grade):	2

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

Power supply:	230 V AC
Operation temp:	-10 °C ... 40 °C
Weight:	5.3 kg (with enclosure and accessories)
Dimensions:	317 x 395 x 101 mm
Supported languages:	English
Manufacturer / Brand:	PYRONIX
SAP Code:	361301736
Guarantee:	2 years

## PRESENTATION

Internal view of the housing:



Mounting side view:



In the kit:

