

Code: CA-10-KLED

## KEYPAD FOR ALARM CONTROL PANEL **CA-10-KLED** SATEL

Net: **38.39 EUR** Gross: **47.22 EUR**

The keypad basing on microprocessor technology is designed to alarm control panel support. Without display. The status indication is showed by LEDs and acoustic signals.



### SPECIFICATION

Power supply:	12 V DC
Support:	CA-10-P
Operation temp:	-10 °C ... +55 °C
Current consumption:	35 mA
Main features:	<ul style="list-style-type: none"><li>• 15 LEDs</li><li>• Keypad backlight buttons</li><li>• Alarms: keypad hold-down PANIC, FIRE and AUX</li><li>• Acoustic signaling: alarm, trouble, enter delay time, exit delay time, inputs violation (gong), keypad operations confirmation</li><li>• Alarms and errors memory reading</li><li>• Microswitch as tamper contact</li><li>• 2 inputs</li><li>• NO, NC, EOL, 2EOL/NO, EOL/NC configurations support</li><li>• 21 reaction types</li><li>• detector fault detection</li><li>• sensor masking detection</li></ul>
Dimensions:	145 x 78 x 27 mm
Manufacturer / Brand:	SATEL
Guarantee:	2 years

### PRESENTATION




Front view:



Rear view:



Internal view (after open the enclosure):



In the kit:

