

Code: INT-KLFR-B

## KEYPAD FOR ALARM CONTROL PANEL INT-KLFR-B SATEL

Net: 147.29 EUR Gross: 181.17 EUR



The INT-KLFR-B keypad is intended for daily operations and programming the Integra series alarm control system.

The built-in proximity card reader allows to operate the system without the necessity to remember passwords. With the LCD display showing text messages, even advanced functionalities of the alarm control unit are simple and convenient.

### SPECIFICATION

Support:	INTEGRA
Main features:	<ul style="list-style-type: none"><li>• Large, easily readable LCD with backlight displaying detailed information on system state</li><li>• 3EOL configurations support - 2 Inputs</li><li>• Operation status LED indicator</li><li>• Alarms: keypad hold-down PANIC, FIRE and AUX</li><li>• Buzzer for acoustic signaling of some system events</li><li>• RS-232 port allows to programming using the PC with GUARDX software installed</li><li>• proximity reader built-in - Unique EM 125kHz</li><li>• Microswitch as tamper contact</li></ul>
Power supply:	12 V DC
Current consumption:	max. 110 mA
Color:	Black
Operation temp:	-10 °C ... 55 °C
Weight:	0.34 kg
Dimensions:	145 x 143 x 25 mm
Manufacturer / Brand:	SATEL
Guarantee:	2 years

### PRESENTATION

View after open the cover:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60




View after remove the cover:



Mounting side view:



In the kit:



## PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60