

Code: OR-DC-629

WATER FLOOD DETECTOR **OR-DC-629** ORNO

Net: **12.56 EUR** Gross: **12.56 EUR**

The OR-DC-629 detector is designed to detecting the presence of water using the supplied flood sensor in spaces where there is a risk of leakage.

Attention! The OR-DC-629 is an autonomous device.



SPECIFICATION

Detection:	Water
Sensitivity adjustment:	—
Alarm signaling:	Beep signal : 95 dB (low), > 110 dB (high)
Main features:	• detecting the presence of water in spaces where there is a risk of leakage - Autonomous operation • Magnetic probe - on the cable • 2-level volume adjustment • Test button • Low battery level alarm
Power supply:	3 x 1.5V, type AAA/LR03 battery (not included)
Current consumption:	• < 40 mA (alarm) • 40 μA (Standby mode)
Color:	White
Operation temp:	-30 °C ... 60 °C
Weight:	0.08 kg
Dimensions:	• 122 x 46 x 18 mm • 1.2 m - Length of the cable
Manufacturer / Brand:	ORNO
Guarantee:	2 years

PRESENTATION

Side view:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Probe:



Place for batteries 3 x 1.5V AAA:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

