

Code: VD-1

## VIBRATION DETECTOR WITH MAGNETIC CONTACT **VD-1** SATEL

Net: **22.90 USD** Gross: **28.17 USD**

The VD-1 vibration detector with magnetic contact is designed for use in burglary and panic alarm systems.

Device can distinguish between the natural vibrations received from the environment, and those caused by an attempt to force the door or window. The magnetic contact signals violation after the magnet is moved away from the reed switch.



### SPECIFICATION

Detection:	Opening the door or window, Vibrations
Range:	1.5 ... 3 m
Environment class:	II
Sensitivity adjustment:	✓
Alarm signaling:	LED indicator, Signal to control panel
Relay contacts rating (resistive load):	40 mA / 16 V DC
Power supply:	12 V DC / 5.4 mA
Main features:	<ul style="list-style-type: none"><li>• piezoceramic vibration sensor</li><li>• relay output for alarm states signaling</li></ul>
Color:	White
Operation temp:	-10 °C ... 55 °C
Weight:	0.044 kg
Dimensions:	24 x 110 x 27 mm
Manufacturer / Brand:	SATEL
Guarantee:	2 years


### PRESENTATION

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

View after remove the cover:



Description of particular elements of the device:



Mounting side view:



In the kit:





DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60