

Code: PCS-260E

GSM COMMUNICATION MODULE **PCS-260E** PARADOX

Net: **167.45 EUR** Gross: **205.96 EUR**



SPECIFICATION

Number of supported SIM cards:	2
Alarm inputs:	—
Alarm outputs:	—
Telephone numbers to reporting events:	max. 16
Event codes sending messages type:	SMS
Main features:	<ul style="list-style-type: none">• 4G/3G/2G GSM network operation,• Reporting via GSM to the monitoring station,• Reporting via to the monitoring station,• SMS notification about an alarm or failure,• Sending the text messages (SMS) with event details,• The ability of remote arm/disarm the system by sending a text message (SMS),• Control panel communication supervision,• Installation to SERIAL connector of alarm control panel,• Possibility to connect the wire antenna,• Encrypted transmission - 128 bit,• Tamper protection (detection of removing from mounting surface and enclosure opening)
Transmitter power:	<ul style="list-style-type: none">• 2 W @ 850 MHz,• 1 W @ 1800/1900 MHz
Power supply:	12 V DC
Current consumption:	300 mA (operation) 60 mA (Standby mode)
Operation temp:	-20 °C ... 50 °C
Dimensions:	207 x 74 x 21

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60


Weight:	0.150 kg
Manufacturer / Brand:	PARADOX
Guarantee:	2 years

PRESENTATION

Internal view:



Antenna connector:



Mounting side view:





In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

