

Code: GPRS-A-LTE

REPORTING MODULE **GPRS-A-LTE** SATEL

Net: **103.77 EUR** Gross: **127.64 EUR**

The GPRS-A-LTE module informs about change of the inputs status, sending event codes to the monitoring stations based on GPRS transmission or SMS messages. The device's compatibility with LTE mobile networks ensures the highest quality and reliability of data transmission.

Device makes possible to supervise operation of various devices, including alarm control panels without telephone communicator. Owing to its analog inputs, the GPRS-A-LTE can execute functions which are used in automation systems.




SPECIFICATION

Alarm inputs:	8 pcs
Alarm outputs:	<ul style="list-style-type: none">• 2 pcs - Relay output• 2 pcs - OC
Telephone numbers to reporting events:	8
Event codes sending messages type:	CLIP, PUSH, SMS, GPRS, LTE
Mobile phones support:	<ul style="list-style-type: none">• The GX CONTROL free application on Android• The GX CONTROL free application on iOS
Main features:	<ul style="list-style-type: none">• Possibility to configure each of the 8 inputs as NO / NC digital input or analog input (voltage measurement in the range of 0 ... 16.56 V)• Remote update of module software• Possibility of autonomous operation or cooperation with any alarm control panel• Possibility of connecting up to 8 additional sensors via the 1-wire bus• Transmission of measurement data (from analog inputs and 1-wire bus) using open protocols: MQTT, JSON, MODBUS RTU• External antenna with the SMA connector• RS-232 interface• 4G/3G/2G GSM network operation
Power supply:	12 V DC / 220 mA
Operation temp:	-10 ... 55 °C
Weight:	0.11 kg
Dimensions:	83 x 65 x 24
Manufacturer / Brand:	SATEL
Guarantee:	2 years

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

PRESENTATION

Top view:



Front view:



Sides view:





Rear view:



In the kit:

