


Code: INT-RS-PLUS

INTERFACE FOR SYSTEM INTEGRATION **INT-RS-PLUS** SATEL

Net: **81.98 EUR** Gross: **100.84 EUR**

The INT-RS-PLUS module enables the software integration of the INTEGRA and INTEGRA Plus alarm systems, including the INTEGRA 256 Plus control panel. By making use of its capabilities, the control panels can be managed remotely from third-party software.

The device converts the data transmitted from the keypad bus to the RS-232 serial bus standard.






SPECIFICATION

Support:	INTEGRA, INTEGRA Plus
Application:	<ul style="list-style-type: none">• Connecting a computer with the GUARDX application installed (same as for the LCD keypad)• Event monitoring via specialized third-party external modules• Operation of the control panel with the help of software other than that offered by SATEL (possibility of integration with other systems)
Main features:	Galvanic separation protecting against potential difference
Power supply:	12 V DC
Current consumption:	max. 40 mA
Environment class:	II
Operation temp:	-10 °C ... 55 °C
Weight:	0.04 kg
Dimensions:	63 x 80 x 18 mm
Manufacturer / Brand:	SATEL
Guarantee:	2 years


PRESENTATION

Connectors:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Top view:



In the kit:

