

Code: DS-PR1-WE

## WIRELESS REPEATER AX PRO **DS-PR1-WE** Hikvision

Net: **142.50 EUR** Gross: **142.50 EUR**

The wireless repeater ensuring bi-directional communication on frequency of 868 MHz. The DS-PR1-WE allows to amplify a signal and extend the range of using the Hikvision AX PRO wireless devices.



### SPECIFICATION

Support:	HIKVISION AX PRO
Frequency band:	868 MHz
Inputs:	—
Outputs:	—
Wireless transmission range:	1600 m (open area)
Main features:	<ul style="list-style-type: none"><li>• Bidirectional communication</li><li>• AES-128 data encryption</li><li>• Smart, auto-pairing</li><li>• Finding and connecting (auto pairing) up to 8 detectors with a camera</li><li>• Compliance with the Tri-X/Cam-X protocol</li><li>• Tamper protection (detection of removing from mounting surface and enclosure opening)</li><li>• LED indication</li><li>• Very easy installation</li></ul>
Power supply:	100 V ... 240 V AC
Current consumption:	max. 200 mA
Emergency Power Supply:	built-in battery
Battery backup time:	≤ 35 h
Housing:	Plastic
Color:	White
Operation temp:	-10 °C ... 55 °C
Weight:	0.37 kg

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Dimensions:	150 x 150 x 25 mm
Manufacturer / Brand:	Hikvision
SAP Code:	302401748
Guarantee:	2 years

## PRESENTATION

Front view:



Mounting side view:



Connectors:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60



In the kit:



## PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------