

Code: DS-PS1-E-WE/BLUE

WIRELESS OUTDOOR SIREN AX PRO **DS-PS1-E-WE/BLUE** Hikvision

Net: **120.97 EUR** Gross: **148.79 EUR**

Outdoor, wirelessly triggered opto-acoustic siren designed to use in burglary and robbery signaling systems. The 868 MHz two-way wireless communication is based on the Tri-X protocol and AES-128 encoding. The alarm signaling is performed in two ways: optically and acoustically by modulated sound signal with a high volume (piezo transducer 110 dB).

The device is powered by batteries (4 x CR123A) or by 12V DC.

High-impact polycarbonate enclosure, featuring a very high mechanical strength and guarantees aesthetic appearance of siren even after many years of using. Construction enables high level of tamper protection (against opening and removing from mounting surface).

The DS-PS1-E-WE/BLUE supports the other devices compatible with wireless HIKVISION AX PRO system.



SPECIFICATION

Support:	HIKVISION AX-PRO
Sound pressure level:	110 dB
Frequency bandwidth of the system:	868 MHz
Radio communication range (at open area):	max. 1600 m
Main features:	<ul style="list-style-type: none">• Bidirectional communication• Optical and acoustic signaling is triggered independently, by radio• Compliance with the Tri-X protocol• AES-128 data encryption• Frequency hopping against jamming for reliable transmission• Remote configuration• Selection of 3 different acoustic signals• Tamper protection (detection of removing from mounting surface and enclosure opening)• Light and durable construction (polycarbonate)• Self-extinguishing ABS• "Index of Protection" : IP65
Protection class (Grade):	2
Environmental class EN 50131-1:	IV
Complies with norms:	EN50131-1:2006+A2:2017, EN 50131-4:2019, EN 50131-5-3:2017, EN 50131-6:2017
Color:	Blue
Power supply:	<ul style="list-style-type: none">• 4 x Battery 3 V CR123A (included),• 12 V DC
Maximal current consumption:	<ul style="list-style-type: none">• 4 A @ 3V Battery (alarm),• 1.3 A @ 12 V DC (alarm)

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60


Backup time:	3 years
Operation temp:	-20 °C ... 60 °C
Weight:	0.62 kg
Dimensions:	190 x 200 x 47 mm
Manufacturer / Brand:	Hikvision
SAP Code:	302401665
Guarantee:	2 years

PRESENTATION

Front view:



Internal view of the housing:



Mounting side view:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60