

Code: SD-6000-R

## OUTDOOR SIREN **SD-6000-R** SATEL

Net: **39.53 EUR** Gross: **48.62 EUR**



The SD-6000-R optical-acoustic outdoor siren performs the signaling function in two ways: red optical signaling (by means of blinking LEDs) and acoustical signaling (by means of modulated high-volume sound signal). Acoustic signal is generated by means of dynamic horn. Construction enables high level of tamper protection (against opening and removing from mounting surface).

High-impact polycarbonate enclosure, featuring a very high mechanical strength and guarantees aesthetic appearance of siren even after many years of using.

### SPECIFICATION

Sound pressure level:	120 dB
Main features:	<ul style="list-style-type: none"><li>• Tamper protection (detection of removing from mounting surface and enclosure opening)</li><li>• Signaling modes</li><li>• Emergency Power Supply</li></ul>
Maximal current consumption:	900 mA
Internal backup battery:	12 V / 2.3 Ah (not included)
Operation temp:	-25 °C
Power supply:	12 V DC
Operation temp:	... 70 °C
Power supply:	± 15%
Weight:	1.51 kg
Power supply:	(powering from external adapter)
Dimensions:	230 x 230 x 65 mm
Manufacturer / Brand:	SATEL
Guarantee:	2 years


### PRESENTATION

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

Internal view of the housing:



Mounting side view:



In the kit:

