

Code: SD-6000-R

OUTDOOR SIREN **SD-6000-R** SATEL

Net: **48.81 EUR** Gross: **48.81 EUR**

The SD-6000-R optical-acoustic outdoor siren performs the signaling function in two ways: red optical signaling (by means of blinking LEDs) and acoustical signaling (by means of modulated high-volume sound signal). Acoustic signal is generated by means of dynamic horn. Construction enables high level of tamper protection (against opening and removing from mounting surface).

High-impact polycarbonate enclosure, featuring a very high mechanical strength and guarantees aesthetic appearance of siren even after many years of using.



SPECIFICATION

Sound pressure level:	120 dB
Main features:	<ul style="list-style-type: none">• Tamper protection (detection of removing from mounting surface and enclosure opening)• Signaling modes• Emergency Power Supply
Internal backup battery:	12 V / 2.3 Ah (not included)
Operation temp:	-25 °C ... 70 °C
Power supply:	12 V DC \pm 15% (powering from external adapter)
Maximal current consumption:	900 mA
Weight:	1.51 kg
Dimensions:	230 x 230 x 65 mm
Manufacturer / Brand:	SATEL
Guarantee:	2 years


PRESENTATION

Internal view of the housing:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Mounting side view:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

